
REVISION HISTORY			
REV.	DESCRIPTION	DATE	
А	INITIAL RELEASE AS PER P13012	2017-05-03	



REAR OF VEHICLE

WIRING KEY @ 12V				
COLOUR	COMPONENT	TYP. MAX CURRENT (A)		
RED	MAIN POWER	0.55 x 16 LED		
BLK	GROUND	20A LIMIT		
BRN	PATTERN 1	0.02		
ORG	PATTERN 2	0.02		
YEL	ALLEY LEFT	0.02		
GRN	ALLEY RIGHT	0.02		
BLU	WORKLIGHT	0.02		
VIO	PATTERN SELECT	0.02		

SPECIFICATIONS

DATE

Electronically Controlled Use Latest Copy SHEET 1 OF 1 Project: P13012

2018-04-04

- 1. FLASH MODE: MAXIMUM 125 ± 5 FPM
- 2. VOLTAGE (NOMINAL): 12-24 VDC
- 3. CURRENT (NOMINAL): 8.8 A @ 12 VDC
- 4. CONNECTION: 14, 18 AND 24 AWG WIRES
- 5. MOUNTING: 4-BOLT THROUGH MOUNTING KIT
- 6. BASE MATERIAL: ALUMINUM/POLYCARBONATE

ECCO.

Americas (800) 635-5900 Europe +44 (0)113 237 5340 Asia Pacific +61 (0)3 63322444

LBR,12+ ICE,72"/1.82M,143-30016-12,R65

12-30016-E

www.eccolink.com

PRODUCT SERIES: 12 SERIES

Date Created: 2017-05-03

REV.

Α

- 7. LENS MATERIAL: POLYCARBONATE
- 8. WITH HANDHELD CONTROLLER: NO
- 9. CERTIFICATIONS: R10 & R65 APPROVED

CUSTOMER PART NO. 12-30016-E

A4

DWG. NO.

SIZE:



SCALE 1:8.5

CAD GENERATED DRAWING DO NOT MANUALLY UPDATE. MODEL REFERENCED: 01

TOLERANCES ARE IN INCHES, AND MILLIMETERS TOLERANCES UNLESS OTHERWISE STATED ARE:

> X.X ± 0.1 X.XX ± 0.04 X.XXX ± 0.02

THIRD ANGLE PRO JECTION

 \oplus

AILLIMETERS DECI

XX. ± 1.0mm XX.X ± 0.5mm APPROVALS

DR**AWNIjSBP**onomarjovs

CHECKED

MECH. ENG

ELEC. ENG.

TEST ENG.

SALES.

ANGLES ± 0.5*

FRACTIONS

NOTES:

- 1. CABLES AND WIRING NOT SHOWN
- 2. TOP VIEW: TOP LENSES NOT SHOWN FOR CLARITY
- 3. MOUNTING FEET: ADD 44mm TO OVERALL HEIGHT
- 4. THE LENGTH BETWEEN MOUNTING FEET IS ADJUSTABLE
- 5. CABLE LENGTH 15' FROM INTERNAL CONNECTOR
- 6. CABLE EXIT DRIVER'S SIDE
- 7. LED LENSES ARE COLORED FOR CLARITY ONLY8. DIMENSIONS IN MILLIMETRES[INCHES(FOR REFERENCE)]

NON DISCLOSURE AGREEMENT

THIS DRAWING AND THE DESIGN IT DISCLOSES ARE THE RRIVATE PROPERTY OF ELECTRONIC CONTROLS CO. AND IS SUBJED IN CONFIDENCE FOR ENGINEERING INFORMATION ONLY THE DRAWING AND / OR DESIGN MAY HOID BE USED. CORPDL REPRODUCED, OR ONLIFERINGE DRUGGED IN PART OR AS A MHOLTE O UTISDERS OR USED FOR ANY OTHER MURPOSE WITHOUT THE PRIOR WRITTEN CONSENT OF ELECTRONIC CONTROLS CO. THE DRAWING IS SUBJECT TO RECALL AT ANY TIME, YOUR POSSESSION OF THIS DOCUMENT CONSTITUTES ACCEPTANCE OF THISE TERMS. © 2018 ELECTRONIC CONTROLS CO.