



REAR OF VEHICLE

WIRING KEY							
COLOUR	COMPONENT	TYP. MAX CURRENT (A)	COMMENT				
RED	LED - POWER	3.6	N/A				
BLK	GROUND	3.6	20A LIMIT				
BRN	PRIMARY PATTERN	0.01	ALT L/R QF CL1				
ORG	SECONDARY PATTERN	0.01	ALL ON QF CL1				
YEL	ALLEY LEFT	N/A	N/A				
GRN	ALLEY RIGHT	N/A	N/A				
BLU	WORKLIGHT	N/A	N/A				
VIO	PATTERN SELECT	0.01	N/A				

SPECIFICATIONS

- 1. CERTIFICATIONS; R10 & R65 CLASS 1 APPROVED
- 2. FLASH MODE: QUAD 125 ± 5 FPM ALT L/R
- 3. VOLTAGE (NOMINAL): 12/24 VDC
- 4. CURRENT (MAXIMUM): 3.6A (at 12VDC)
- 5. CONNECTION: 14 & 26 AWG WIRES
- 6. MOUNTING: 4-BOLT THROUGH MOUNTING KIT
- 7. BASE MATERIAL: PC (BLACK)
- 8. LENS MATERIAL: PC (AMBER)

NOTES:			85[3.3]
notes: 1. Cables and Wiring no	T SHOWN	.	4

- 2. TOP VIEW: TOP LENSES NOT SHOWN FOR CLARITY
- 3. MOUNTING FEET: ADD 30mm TO OVERALL HEIGHT
- 4. THE LENGTH BETWEEN MOUNTING FEET IS ADJUSTABLE
- 5. CABLE LENGTH 4.5m (15 ft)
- 6. CABLE EXIT DRIVER'S SIDE
- 7. DIMENSIONS IN MILLIMETRES [INCHES(FOR REFERENCE)]
- 8. USE SUB ASSEMBLY (143-00023-13) FOR MANUFACTURE

PROPRIETARY AND CONFIDENTIAL INFORMATION

THIS DRAWING AND THE DESIGN AND OTHER INFORMATION DISCLOSED HERBIN ARE THE PROPERTY OF ELECTRONIC CONTROLS COMPANY AND/OR ITS ECCO SAFETY GROUP AFFILIATES
("ECCO") AND IS SISTED IN CONFIDENCE TO RECIPIENT FOR ENGINEERING INFORMATION PURPOSES ONLY. THIS DRAWING AND THE DESIGN AND OTHER INFORMATION DISCLOSED
HERBIN MAY NOT BE LISED, COPIED, REPRODUCED OR OTHERWESP DISCLOSED IN PART OR IN WHICH OF ITS HIDD PART OR IN WHICH THE THIRD MAY OTHER PURPOSE WITHOUT PROPER RECO
WRITTEN CONSENT. ECCO RESERVES ALL PATENT, COPYRICHT, TRADEMARK AND OTHER PROPRIETARY RIGHTS TO THIS DOCUMENT, INCLUDING ALL DESIGN, MANUFACTURING,
REPRODUCTION, USE AND SALES RIGHTS THERETO, THIS DRAWING IS SUBJECT OR ACT ANY TIME, AND YOUR POSSESSION AND/OR USE CONSTITUTES ACCEPTANCE OF
THESE TERMS. #2018 ELECTRONIC CONTROLS COMPANY

	SCALE 1:8			APP	ROVALS	DATE						
			DRAWN BY	NP	2018-10-17			CCC	. w	ww.eccolink	.com	
	DO NOT MANUALLY UPDATE. MODEL REFERENCED: C+		CHECKED	JUP	2018-10-17	(XX)						
	TOLERANCES ARE IN INCHES, AND MILLIMETERS TOLERANCES UNLESS OTHERWISE STATED ARE:			MECH. ENG.	JGW	2018-10-09	Americas (800)		Europe +44 (0)113 2		•	
	MILLIMETERS DECIMALS	INCHES DECIMALS	ANGLES • 0.5	ELEC. ENG.			AS	SY,SU	BLBR,13,59	"/1.5	50M,AMBER	
	XX. ± 1.0mm XX.X ± 0.5mm	X.X ± 0.1 X.XX ± 0.04 X.XXX ± 0.02	FRACTIONS	TEST ENG.	DFG	2018-10-30	CUSTOMER PAR				PRODUCT SERIES:	
		11/04		SALES.			13-000	23-E			13	
TES						SIZE: A4	DWG. N	o. 13	-000	23-E	REV.	
OF			Electronically Controlled Use Latest Copy		SHEET 1 OF 1	Project: LL	0132	Date Cre	eated: 2017-08-08] B		