

according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 24 (replaces version 23)

Revision: 11.02.2025

Page 1/9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name: <u>6150 strip forte</u>
- **UFI:** 001J-W0NT-Y00Q-Y96W
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Industrial. For professional use only
- \cdot 1.3 Details of the supplier of the safety data sheet

· Supplier:

JASA AG, Müslistrasse 43, 8957 Spreitenbach, Schweiz Tel. +41 (0)44 431 60 70, Fax +41 (0)44 432 63 17 info@jasa-ag.ch, www.jasa-ag.ch

Further information obtainable from: Productmanagement, Tel. +41 (0)44 431 60 70, sds@jasa-ag.ch

1.4 Emergency telephone number: Tox Info Suisse (STIZ), Tel: 145

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms GHS05
- · Signal word Danger
- Hazard-determining components of labelling:
- 2-aminoethanol Poly(oxy-1,2-ethanediyl), .alpha.-isodecyl-.omega.-hydroxy-
- Hazard statements
- H314 Causes severe skin burns and eye damage.
- · Precautionary statements
- P260 Do not breathe spray.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 24 (replaces version 23)

Revision: 11.02.2025

Trade name: 6150 strip forte

- P310Immediately call a POISON CENTER/doctor.(Contd. of page 1)P405Store locked up.
 - *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

· CAS NO. Descript	tion % Index R-phrases	
CAS: 141-43-5 EINECS: 205-483-3	2-aminoethanol Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Specific concentration limit: STOT SE 3; H335: $C \ge 5 \%$	≥1-<5%
CAS: 111-76-2 EINECS: 203-905-0	2-butoxyethanol	<5%
CAS: 61827-42-7 Polymer	Poly(oxy-1,2-ethanediyl), .alphaisodecylomegahydroxy- Eye Dam. 1, H318 Acute Tox. 4, H302	≥1-<3%
CAS: 5064-31-3 EINECS: 225-768-6	trisodium nitrilotriacetate Carc. 2, H351 Acute Tox. 4, H302; Eye Irrit. 2, H319 Specific concentration limit: Carc. 2; H351: $C \ge 5$ %	≤2.5%
CAS: 1310-73-2 EINECS: 215-185-5	sodium hydroxide Skin Corr. 1A, H314 Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: $C \ge 5$ % Skin Corr. 1B; H314: 2 % $\le C < 5$ % Skin Irrit. 2; H315: 0.5 % $\le C < 2$ % Eye Irrit. 2; H319: 0.5 % $\le C < 2$ %	≥0.5-<2%

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

phosphates, non-ionic surfactants, soap, NTA (nitrilotriacetic acid) and salts thereof, perfumes <5% (LINALOOL), allergenic perfume ingredients

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

CH/E

^{· 3.2} Mixtures

according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 24 (replaces version 23)

Revision: 11.02.2025

Trade name: 6150 strip forte

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- \cdot 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

· Storage class: 8 B

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

141-43-5 2-aminoethanol

MAK (Switzerland)	Short-term value: 10 mg/m³, 4 ppm
	Long-term value: 5 mg/m³, 2 ppm
	<i>S;</i>

(Contd. on page 4)

(Contd. of page 2)

Printing date 11.02.2025

Version number 24 (replaces version 23)

Revision: 11.02.2025

Trade name: 6150 strip forte

	(Contd. of page 3
111-76-2 2-butoxy	ethanol
MAK (Switzerland)	Short-term value: 98 mg/m³, 20 ppm Long-term value: 49 mg/m³, 10 ppm
	H B SSc;
1310-73-2 sodium	hydroxide
MAK (Switzerland)	Short-term value: 2 e mg/m ³ Long-term value: 2 e mg/m ³ SSc;
· Ingredients with bi	ological limit values:
111-76-2 2-butoxye	ethanol
	150 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende, bei Langzeitexposition: Nach mehreren vorangegangenen Schichten Biol. Parameter: Butoxyessigsäure (nach Hydrolyse)

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

(Contd. on page 5)

Printing date 11.02.2025

Version number 24 (replaces version 23)

Revision: 11.02.2025

(Contd. of page 4)

Trade name: 6150 strip forte

	erties
9.1 Information on basic physical and chemical pr	roperties
General Information	Liquid
Physical state	Liquid Blue
Colour:	
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	0 °C
Boiling point or initial boiling point and boiling	
range	100 °C (7732-18-5 water, distilled, conductivity or
	similar purity)
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	1.1 Vol %
Upper:	14 Vol %
Flash point:	Not applicable.
Auto-ignition temperature:	385 °C
Decomposition temperature:	Not determined.
<i>pH at 20 °C</i>	12.8
Viscosity:	
Kinematic viscosity at 20 °C	12 s (ISO 4 mm)
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity or a
vapour pressure al 20°C.	similar purity)
Dansity and/or relative density	similar purity)
Density and/or relative density	1.06 g/cm ³
Density at 20 °C:	
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	l
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent separation test:	
Organic solvents:	6.8 %
Water:	76.4 %
Change in condition	
Evaporation rate	Not determined.
-	
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
	Void
	Void
Gases under pressure	Void Void
Oxidising gases Gases under pressure Flammable liquids Flammable solids	
Gases under pressure Flammable liquids Flammable solids	Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Void Void Void
Gases under pressure Flammable liquids	Void Void

CH/E

Printing date 11.02.2025

Version number 24 (replaces version 23)

Revision: 11.02.2025

Trade name: 6150 strip forte

		(Contd. of page 5)
· Substances and mixtures, which emit fl	lammable	
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

	9	5
ATE (Acut	te Toxicity Estimates	3)
Oral	LD50	<25,862 mg/kg
Dermal	1000 rbt/kg	8,969 bt/kg
Inhalative	LC50/4 h	75.7 mg/l
D · · ·		

· Primary irritant effect:

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

CH/E

Printing date 11.02.2025

Version number 24 (replaces version 23)

Revision: 11.02.2025

Trade name: 6150 strip forte

(Contd. of page 6)

- · 12.7 Other adverse effects · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European	waste catalogue
	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01 00	separately collected fractions (except 15 01)
20 01 29*	detergents containing hazardous substances

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number	17-: 1	
ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	g to IMO	
instruments	Not applicable.	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms GHS05

(Contd. on page 8)

CH/E

according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.02.2025

Version number 24 (replaces version 23)

Revision: 11.02.2025

Trade name: 6150 strip forte

Signal word L	Contd. of page
	nining components of labelling:
2-aminoethan	
	or ethanediyl), .alphaisodecylomegahydroxy-
Hazard statem	
	severe skin burns and eye damage.
Precautionary	
P260	Do not breathe spray.
P303+P361+	P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin wi water [or shower].
	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
REGULATIO DIRECTIVE	2/18/EU rous substances - ANNEX I None of the ingredients is listed. N (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 2011/65/EU on the restriction of the use of certain hazardous substances in electrical an
Named dange REGULATIO DIRECTIVE electronic equ	2/18/EU rous substances - ANNEX I None of the ingredients is listed. N (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 2011/65/EU on the restriction of the use of certain hazardous substances in electrical an ipment – Annex II
Named dange REGULATIO DIRECTIVE electronic equ None of the in	2/18/EU rous substances - ANNEX I None of the ingredients is listed. N (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 2011/65/EU on the restriction of the use of certain hazardous substances in electrical an ipment – Annex II gredients is listed.
Named dange REGULATIO DIRECTIVE electronic equ None of the in REGULATIO	2/18/EU rous substances - ANNEX I None of the ingredients is listed. N (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 2011/65/EU on the restriction of the use of certain hazardous substances in electrical an ipment – Annex II gredients is listed. N (EU) 2019/1148
Named dange REGULATIO DIRECTIVE electronic equ None of the in REGULATIO	2/18/EU rous substances - ANNEX I None of the ingredients is listed. N (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 2011/65/EU on the restriction of the use of certain hazardous substances in electrical an ipment – Annex II gredients is listed. N (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensin
Named dange REGULATIO DIRECTIVE electronic equ None of the in REGULATIO Annex I - RE under Article	2/18/EU rous substances - ANNEX I None of the ingredients is listed. N (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 2011/65/EU on the restriction of the use of certain hazardous substances in electrical an ipment – Annex II gredients is listed. N (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensin
Named dange REGULATIO DIRECTIVE electronic equ None of the in REGULATIO Annex I - RE under Article None of the in	2/18/EU rous substances - ANNEX I None of the ingredients is listed. N (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 2011/65/EU on the restriction of the use of certain hazardous substances in electrical an ipment – Annex II gredients is listed. N (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensin 5(3))
Named dange REGULATIO DIRECTIVE electronic equ None of the in REGULATIO Annex I - RE under Article None of the in Annex II - RE	2/18/EU rous substances - ANNEX I None of the ingredients is listed. N (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 2011/65/EU on the restriction of the use of certain hazardous substances in electrical an ipment – Annex II gredients is listed. N (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensin 5(3)) gredients is listed.
Named dange REGULATIO DIRECTIVE electronic equ None of the in REGULATIO Annex I - RE under Article None of the in Annex II - RE	2/18/EU rous substances - ANNEX I None of the ingredients is listed. N (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 2011/65/EU on the restriction of the use of certain hazardous substances in electrical an ipment – Annex II gredients is listed. N (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensin 5(3)) gredients is listed. EPORTABLE EXPLOSIVES PRECURSORS
Named dange REGULATIO DIRECTIVE electronic equi None of the in REGULATIO Annex I - RE under Article None of the in Annex II - RE None of the in Regulation (E	2/18/EU rous substances - ANNEX I None of the ingredients is listed. N (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 2011/65/EU on the restriction of the use of certain hazardous substances in electrical an ipment – Annex II gredients is listed. N (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensin 5(3)) gredients is listed. EPORTABLE EXPLOSIVES PRECURSORS gredients is listed.
Named dange REGULATIO DIRECTIVE electronic equi None of the in REGULATIO Annex I - RE under Article None of the in Annex II - RE None of the in Regulation (E None of the in	2/18/EU rous substances - ANNEX I None of the ingredients is listed. N (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 2011/65/EU on the restriction of the use of certain hazardous substances in electrical an ipment – Annex II gredients is listed. N (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensin 5(3)) gredients is listed. EPORTABLE EXPLOSIVES PRECURSORS gredients is listed. EPORTABLE EXPLOSIVES PRECURSORS gredients is listed. EC) No 273/2004 on drug precursors
Named dange REGULATIO DIRECTIVE electronic equi None of the in REGULATIO Annex I - RE under Article None of the in Annex II - RE None of the in Regulation (E third countrie	2/18/EU rous substances - ANNEX I None of the ingredients is listed. N (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 2011/65/EU on the restriction of the use of certain hazardous substances in electrical an ipment – Annex II gredients is listed. N (EU) 2019/1148 STRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensin 5(3)) gredients is listed. EPORTABLE EXPLOSIVES PRECURSORS gredients is listed. C) No 273/2004 on drug precursors gredients is listed. EC) No 111/2005 laying down rules for the monitoring of trade between the Community an

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.
Department issuing SDS: Abteilung Umweltschutz

• Contact: Hr. Andreas Meier

(Contd. on page 9)

CH/E

Version number 24 (replaces version 23)

Revision: 11.02.2025

Trade name: 6150 strip forte

Printing date 11.02.2025

D 1 1 1 1 1 1 1 1 1 1	(Contd. of pa
Date of previous version: 10.02.2025	
Version number of previous version: 23	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses p	oar chemin de fer (Regulations Concernin
International Transport of Dangerous Goods by Rail)	
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association	on" (IATA)
ICAO: International Civil Aviation Organisation	· · · ·
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICA	.0)
ADR: Accord relatif au transport international des marchandises dangereuses par	route (European Agreement Concernin
International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
ATE: Acute toxicity estimate values	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Carc. 2: Carcinogenicity – Category 2	