Version 1.2	DE / EN	Revision Date: 17.11.2023	Date of last issue: 25.07.2023 Date of first issue: 21.07.2022	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	: Carsystem Finish Kontrollschaum C-99
Product code	: 156.614
1.2 Relevant identified	uses of the substance or mixture and uses advised against
Use of the Sub- stance/Mixture	: Cleaning agent
1.3 Details of the sup	plier of the safety data sheet
Company	: JASA AG Müslistrasse 43 8957 Spreitenbach Schweiz
	info@jasa-ag.ch, www.jasa-ag.ch
Telephone Telefax	: +41 (0)44 431 60 70 : +41 (0)44 432 63 17
Responsible Depa	rtment : Productmanagement, Tel: +41 (0)44 431 60 70, sds@jasa-ag.ch

1.4 Emergency telephone

Telephone	: Tox Info Suisse (STIZ), Tel: 145
-----------	------------------------------------

Carsystem Finish Kontrollschaum C-99

Version		Revision Date:	Date of last issue: 25.07.2023
1.2	DE / EN	17.11.2023	Date of first issue: 21.07.2022

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Aprocole Cotogory 2	H220: Proceuricad containar: May burst if boated		

Aerosols, Category 3 H229: Pressurised container: May burst if heated.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Signal Word	:	Warning	
Hazard Statements	:	H229 Pressurised container: May burst if heated.	
Precautionary Statements		P102 Keep out of reach of children.	
		Prevention:	
		P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P251 Do not pierce or burn, even after use.	
		Storage:	
		P410 + P412 Protect from sunlight. Do not expose to tem-	

Additional Labeling

14,6 % by mass of the contents are flammable.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

peratures exceeding 50 °C/ 122 °F.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : aerosol

Components

components			
Chemical name	CAS-No.	Classification	Concentration

Carsystem Finish Kontrollschaum C-99

Vers 1.2	sion DE / EN	Revision Date: 17.11.2023	Date of last issue: 25.07.202 Date of first issue: 21.07.202	
		EC-No. Index-No. Registration n	umber	(% w/w)
	1-methoxy-2-propanol	107-98-2 203-539-1 603-064-00-3 01-211945743	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous 35-35 system)	>= 1 - < 5
	3-butoxypropan-2-ol	5131-66-8 225-878-4	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 5

603-052-00-8 01-2119475527-28

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	First aider needs to protect himself. Remove from exposure, lie down. If unconscious, place in recovery position and seek medical advice. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use.
If inhaled	:	Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	:	Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	In case of eye contact, remove contact lens and rinse imme- diately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.
If swallowed	:	Swallowing is not regarded as a possible method for expo- sure. Do NOT induce vomiting. Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

None known.4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Carbon dioxide (CO2) Dry powder

Ver 1.2	rsion DE / EN		evision Date: 7.11.2023	Date of last issue: 25.07.2023 Date of first issue: 21.07.2022
			Water spray jet Alcohol-resistant	foam
	Unsuitable extinguishir media	ng :	High volume wat	er jet
5.2	Special hazards arisin	g from th	e substance or mi	xture
	Specific hazards during fighting	g fire :		explosive mixtures with air. erous/toxic fumes possible in cases of ture.
	Hazardous combustior ucts	n prod- :	Carbon monoxide bons (smoke).	e, carbon dioxide and unburned hydrocar-
5.3	Advice for firefighters			
	Special protective equi for fire-fighters	pment :	Use personal pro	tective equipment. Wear suitable respiratory nent.
	Further information	:	cumstances and Fire residues and be disposed of in Use water spray	g measures that are appropriate to local cir- the surrounding environment. I contaminated fire extinguishing water must accordance with local regulations. to cool unopened containers. e and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions		Wear personal protective equipment. Evacuate personnel to safe areas. Remove all sources of ignition. Ensure adequate ventilation. Avoid inhalation of vapor or mist. Avoid contact with skin, eyes and clothing.			
6.2 Environmental precautions		Chould not be released into the environment			

Environmental precautions : Should not be released into the environment. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Ventilate the area.
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

Version		Revision Date:	Date of last issue: 25.07.2023
1.2	DE / EN	17.11.2023	Date of first issue: 21.07.2022

SECTION 7: Handling and storage

7.1 Precautions for safe handling		
Local/Total ventilation :	:	Ensure adequate ventilation.
Advice on safe handling :	:	Pressurized container: Protect from sunlight and do not expose to temperatures exceeding 50°C / 122 °F. Also after use, do not open with force or burn. Provide sufficient air exchange and/or exhaust in work rooms.
Advice on protection against : fire and explosion	:	Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition. Keep away from direct sunlight.
Hygiene measures :	:	Do not inhale aerosol.
		When using do not eat, drink or smoke.
7.2 Conditions for safe storage, in	cl	uding any incompatibilities
Requirements for storage : areas and containers	:	Please observe the storage instructions for aerosols! Keep containers tightly closed in a cool, well-ventilated place. Keep away from direct sunlight. Keep away from heat and sources of ignition.
Further information on stor-	:	Storage must be in accordance with the BetrSichV (Germany).
Advice on common storage	:	Keep away from food and drink.
Storage class (TRGS 510) :	:	2B

7.3 Specific end use(s)

Specific use(s)	: No data available
-----------------	---------------------

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
1-methoxy-2- propanol	107-98-2	TWA	100 ppm 375 mg/m3	2000/39/EC
	Further inform skin, Indicative		possibility of significant uptak	te through the
		STEL	150 ppm 568 mg/m3	2000/39/EC
	Further inform	ation: Identifies the	possibility of significant uptak	through the

Carsystem Finish Kontrollschaum C-99

Version	DE / EN	Revision Date:	Date of last issue: 25.07.2023
1.2		17.11.2023	Date of first issue: 21.07.2022
		skin Indicative	

skin, Indicative)		
	AGW	100 ppm 370 mg/m3	DE TRGS 900
Peak-limit cate	egory: 2;(I)		
Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			

Biological occupational exposure limits

• ·	•			
Substance name	CAS-No.	Control parameters	Sampling time	Basis
1-methoxy-2-propanol	107-98-2	1-Methoxypropan- 2-ol: 15 mg/l (Urine)	Immediately after exposure or after working hours	TRGS 903

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
Hydrocarbons, C3-4; Petroleum gas	Workers	Inhalation	Long-term systemic effects	2,21 mg/m3
	Workers	Skin contact	Long-term systemic effects	23,4 mg/kg
	Consumers	Inhalation	Long-term systemic effects	0,066 mg/m3
1-methoxy-2-propanol	Workers	Inhalation	Long-term systemic effects	369 mg/m3
	Workers	Inhalation	Acute systemic ef- fects, Acute local effects	553,5 mg/m3
	Workers	Skin contact	Long-term systemic effects	183 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	43,9 mg/m3
	Consumers	Skin contact	Long-term systemic effects	78 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	33 mg/kg bw/day
3-butoxypropan-2-ol	Workers	Inhalation	Long-term systemic effects	147 mg/m3
	Workers	Skin contact	Long-term systemic effects	52 mg/kg
	Consumers	Inhalation	Long-term systemic effects	43 mg/m3
	Consumers	Skin contact	Long-term systemic effects	22 mg/kg
	Consumers	Oral	Long-term systemic effects	12,5 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1-methoxy-2-propanol	Fresh water	10 mg/l
	Sea water	1 mg/l
	Sewage treatment plant (STP)	100 mg/l
	Fresh water sediment	52,3 mg/kg dry

Carsystem Finish Kontrollschaum C-99

/ersion I.2	DE / EN	Revision Date: 17.11.2023	Date of last issue: 25 Date of first issue: 21	
		Sea sedimen	t	weight (d.w.) 5,2 mg/kg dry weight (d.w.)
		Soil		4,59 mg/kg dry weight (d.w.)
3-but	oxypropan-2-ol	Fresh water		0,525 mg/l
		Sea water		0,052 mg/l
		Sewage treat	ment plant (STP)	10 mg/l
		Fresh water s	sediment	2,36 mg/kg
		Sea sedimen	t	0,236 mg/kg
		Soil		0,16 mg/kg

8.2 Exposure controls

Personal protective equipment				
Eye/face protection :	Tightly fitting safety goggles Safety glasses with side-shields conforming to EN166			
	Neoprene > 480 min >= 0,75 mm DIN EN 374 Class 6			
Remarks :	The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed. Preventive skin protection			
Skin and body protection :	Please wear suitable protective clothing, e.g. made of cotton or heat-resistant synthetic fibres. Long sleeved clothing			
Respiratory protection :	No personal respiratory protective equipment normally re- quired. In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.			
Filter type :	Combined particulates, organic gas and low boiling vapor type (AX-P)			
Protective measures :	Use only with adequate ventilation. When using do not eat, drink or smoke. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist.			
Environmental exposure controls				

Soil : Avoid subsoil penetration.

/ersion .2 DE / EN	Revision Date:Date of last issue: 25.07.202317.11.2023Date of first issue: 21.07.2022
Water	: Do not flush into surface water or sanitary sewer system.
ECTION 9: Physical and che	mical properties
.1 Information on basic physica Physical state	I and chemical properties : aerosol
Color	: white
Odor	: characteristic
Melting point/freezing point	: < -100 °C Propellant
Boiling point/boiling range	: > -42 °C Propellant
Flammability	: The product is not flammable.
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: -80 °C Propellant
Autoignition temperature	: > 400 °C
рН	: 10 Concentration: 100 %
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: No data available
Vapor pressure	: 3,2 hPa (20 °C)
Density	: 1 g/cm3 (20 °C)

- - No data available

Carsystem Finish Kontrollschaum C-99

Version		Revision Date:	Date of last issue: 25.07.2023
1.2	DE / EN	17.11.2023	Date of first issue: 21.07.2022

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if used as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapors may form explosive mixture with air.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Keep away from heat and sources of ignition.
		Strong sunlight for prolonged periods.

10.5 Incompatible materials

Materials to avoid	: Strong reducing agents
	Strong oxidizing agents
	Strong acids and strong bases

10.6 Hazardous decomposition products

Build-up of dangerous/toxic fumes possible in cases of fire/high temperature. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1-methoxy-2-propanol:

Acute oral toxicity	:	LD50 Oral (Rat): 4.016 mg/kg
Acute inhalation toxicity	:	LC0 (Rat): > 7000 ppm Test atmosphere: vapor Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhala- tion toxicity
Acute dermal toxicity	:	LD50 Dermal (Rat): > 2.000 mg/kg Method: Regulation (EC) No. 440/2008, Annex, B.3
3-butoxypropan-2-ol:		
Acute oral toxicity	:	LD50 Oral (Rat): 3.300 mg/kg Method: OECD Test Guideline 401

ersion .2 DE / EN	Revision Date: 17.11.2023	Date of last issue: 25.07.2023 Date of first issue: 21.07.2022
Acute inhalation toxicity		: 4 h
Acute dermal toxicity		(Rat): > 2.000 mg/kg D Test Guideline 402
Skin corrosion/irritation Not classified based on ava	ailable information.	
Components:		
3-butoxypropan-2-ol: Result	: Skin irritation	
Serious eye damage/eye Not classified based on ava		
Components:		
3-butoxypropan-2-ol: Result	: Moderate eye	irritation
Respiratory or skin sensi	tization	
Skin sensitization Not classified based on ava	ailable information.	
Respiratory sensitization Not classified based on ava	ailable information.	
Germ cell mutagenicity Not classified based on ava	ailable information.	
Carcinogenicity Not classified based on ava	ailable information.	
Reproductive toxicity Not classified based on ava	ailable information.	
STOT-single exposure Not classified based on ava	ailable information.	
Components:		
1-methoxy-2-propanol: Assessment	: May cause dro	owsiness or dizziness.
STOT-repeated exposure Not classified based on available		

Version		Revision Date:	Date of last issue: 25.07.2023
1.2	DE / EN	17.11.2023	Date of first issue: 21.07.2022

Aspiration toxicity

Not classified based on available information.

Components:

1-methoxy-2-propanol: No aspiration toxicity classification

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1-methoxy-2-propanol:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): >= 1.000 mg/l End point: mortality Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 21.100 - 25.900 mg/l End point: Immobilization Exposure time: 48 h
Ecotoxicology Assessment		
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.
3-butoxypropan-2-ol:		
Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): > 560 - < 1.000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1.000 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l Exposure time: 96 h

Version 1.2 DE / EN	Revision Date: 17.11.2023	Date of last issue: 25.07.2023 Date of first issue: 21.07.2022
Ecotoxicology Assessment Chronic aquatic toxicity		no known ecotoxicological effects.
12.2 Persistence and degradabi	lity	
Components:		
1-methoxy-2-propanol: Biodegradability	: Result: Readily b Biodegradation: Exposure time: 2 Method: OECD 1	96 %
12.3 Bioaccumulative potential		
Components:		
1-methoxy-2-propanol: Partition coefficient: n- octanol/water	: log Pow: < 1 (20 pH: 6,8	°C)
3-butoxypropan-2-ol: Partition coefficient: n- octanol/water	: log Pow: 1,2 (20	°C)
12.4 Mobility in soil No data available		
12.5 Results of PBT and vPvB a	ssessment	
Product:		
Assessment	to be either persi	nixture contains no components considered istent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6 Endocrine disrupting prop	erties	
Product:		
Assessment	ered to have end REACH Article 5	hixture does not contain components consid- locrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.
12.7 Other adverse effects		

Product:

Ver 1.2	rsion	DE / EN		evision Date: 7.11.2023	Date of last issue: 25.07.2023 Date of first issue: 21.07.2022	
	Addition mation	nal ecological infor-	:	No data available		
SE	SECTION 13: Disposal considerations					

5.1	waste treatment methods		
	Product	:	According to the European Waste Catalog, Waste Codes are not product specific, but application specific. Dispose of in conjunction with appropriate waste disposal authorities and in accordance with disposal regulations.
	Contaminated packaging	:	Dispose of in accordance with local regulations.
	Waste Code	:	The following Waste Codes are only suggestions: 15 01 10, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 1950		
ADR	:	UN 1950		
RID	:	UN 1950		
IMDG	:	UN 1950		
ΙΑΤΑ	:	UN 1950		
14.2 UN proper shipping name				
ADN	:	AEROSOLS		
ADR	:	AEROSOLS		

ADR	: AEROSOLS
RID	: AEROSOLS
IMDG	: AEROSOLS
ΙΑΤΑ	: Aerosols, non-flammable

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 2	2.2
ADR	: 2	2.2
RID	: 2	2.2
IMDG	: 2.2	
ΙΑΤΑ	: 2.2	

14.4 Packing group

Carsystem Finish Kontrollschaum C-99

/ersion I.2 DE / EN	Revision Date: 17.11.2023	Date of last issue: 25.07.2023 Date of first issue: 21.07.2022
ADN Packing group Classification Code Labels	: Not assigned : 5A : 2.2	by regulation
ADR Packing group Classification Code Labels Tunnel restriction code	: Not assigned : 5A : 2.2 : (E)	by regulation
RID Packing group Classification Code Hazard Identification Numbe Labels	: Not assigned : 5A : 20 : 2.2	by regulation
IMDG Packing group Labels EmS Code	: Not assigned : 2.2 : F-D, S-U	by regulation
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels	: 203 : Y203 : Not assigned : Non-flammab	by regulation le, non-toxic Gas
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	: 203 : Y203 : Not assigned : Non-flammab	by regulation le, non-toxic Gas
4.5 Environmental hazards		
ADN Environmentally hazardous	: no	
ADR Environmentally hazardous	: no	
RID Environmentally hazardous	: no	
IMDG		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Version		Revision Date:	Date of last issue: 25.07.2023
1.2	DE / EN	17.11.2023	Date of first issue: 21.07.2022

SECTION 15: Regulatory information

15.1 ture		al regulations/legislati	on	specific for the substance or mix-
	REACH - Restrictions on the man the market and use of certain dan mixtures and articles (Annex XVII)	gerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
				3-(4-tert-butylphenyl)-2- methylpropanal (Number on list 30)
	REACH - Candidate List of Substa Concern for Authorization (Article	, ,	:	Not applicable
	Regulation (EC) No 1005/2009 or plete the ozone layer	substances that de-	:	Not applicable
	Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu-	:	Not applicable
	REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
	Water hazard class (Germa- : ny)	WGK 3 highly water en Classification according		
	Regulation (EC) No. : 648/2004, as amended	5 % or over but less tha Other constituents: Per Allergens: (R)-p-mentha-1,8-diene 3-(4-tert-butylphenyl)-2 linalool	rfum Ə	

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Contains a substance which is subject to the TRGS 907 : 2-aminoethanol list of sensitizing substances.

15.2 Chemical Safety Assessment

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

Carsystem Finish Kontrollschaum C-99

Version		Revision Date:	Date of last issue: 25.07.2023
1.2	DE / EN	17.11.2023	Date of first issue: 21.07.2022

SECTION 16: Other information

Full text of H-Statements H226 H315 H319 H336	:	Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness.
Full text of other abbreviation	ons	
Eye Irrit. Flam. Liq. Skin Irrit. STOT SE 2000/39/EC	:	Eye irritation Flammable liquids Skin irritation Specific target organ toxicity - single exposure Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
DE TRGS 900 TRGS 903 2000/39/EC / TWA 2000/39/EC / STEL DE TRGS 900 / AGW	:	Germany. TRGS 900 - Occupational exposure limit values. c - Biological limit values

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA

Version 1.2	DE / EN	Revision Date: 17.11.2023	Date of last issue: 25.07.2023 Date of first issue: 21.07.2022
	xic Substances Con / Bioaccumulative	ntrol Act (United States); U	IN - United Nations; vPvB - Very Persistent and
Fur	ther information		

Classification of t	he mixture:	Classification procedure:
Aerosol 3	H229	Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

DE / EN